



Rubber Timing Belts

Markets/Application

Suitable for numerous specifications that can be widely used in synchronous driven area.

Timing belt drive consists of an endless belt whose inner surface has equally spaced teeth and of wheels that have the corresponding teeth and is a kind of new type belt drive which has synthesized all the good points of belt drive, chain drive, and gear drive while working, the teeth of the belt and the gullets of the gear joggle each other to transmit the motion and the dynamic force.

Timing belt drive has such features as exact transmission ratio, non-sliding, constant velocity ratio, even motion, absorption of vibration, little noise, the big range of transmission ratio which can normally reach 1:10, and the linear velocity can reach 40m/s. The high transmission efficiency normally reaches 0.98, compacting structure, the suitability to multi-axis transmission, no need of lubrication, no pollution and so on. Therefore, the product can normally work well in the places where no pollution is allowed and where the working condition is worse and can be widely used in machinery drives, such industry as automobiles, machine tools, textile, chemical engineering, light industry, mining, instruments, oil industry and so on as well as all kinds of other machinery Drive.

Timing belt we produced have a lot of advantages : anti-wearing out, low elongation rate and high strength, resistant to temperature range, nonaging, ozone resistant, etc. All these can meet customers request perfectly. The property of our belts have reached or surpassed the international standard.

Product Description :

- 1 Economic and free-maintenance to replace traditional driven model will be an ideal choice .
- 2 Precisely moulded teeth profiles, nylon fabric cover protects the tooth surfaces.
- 3 Wide range of load capacities and speed ratios . Constant angular velocity. Efficiencies up to 99%. Maintenance-free continuity of operation.


In terms of tooth profile, timing belt can be divided into trapezoidal profile and arc-tooth profile. In terms of tooth arrangements, timing belt can be divided into single-sided belt and double side belt. In terms of tooth pitch, timing belt can be divided into different sizes.





Figure1: Physicomechanical Property of Synchronous Belt.


Item	Trapezoid tooth					Arc tooth				
	XL	L	H	XH	XXH	3M	5M	8M	14M	20M
Tensile strength(N/mm) ²	80	120	270	380	450	90	160	300	400	520
Elongation at break/mm	60	90	220	300	360	70	130	240	320	410
Hardness(Shore A)	75±5									
Adhesion strength of	5	6.5	8	10	12	-	6	10	12	15
Adhesion strength of	200	300	600	800	1500	-	400	700	1200	1600
Gear shearing	50	60	70	75	90	-	50	60	80	100


Figure2:Belt tooth size.


Trapezoidal toothed synchronous belt	TYPE	Pitch	Tooth angle	Bottom tooth	Tooth height	Fillet	Tip	Belt thickness	Teeth number range	Pitch length
		pb	2y°	s	hg	r _f	r _a	h		
	MXL	2.032	40	1.14	0.51	0.13	0.13	1.14	43~2044	87.38~4153.41
	XXL	3.175	50	1.73	0.76	0.20	0.20	1.52	46~124	146.05~393.70
	XL	5.080	50	2.57	1.27	0.38	0.38	2.3	22~510	111.76~2590.80
	L	9.525	40	4.65	1.91	0.51	0.51	3.6	23~530	219.08~5048.25
	H	12.700	40	6.12	2.29	1.02	1.02	4.3	29~440	368.30~5588.00
	XH	22.225	40	12.57	6.35	1.57	1.19	11.2	53~220	1177.93~4889.50
	XXH	31.750	40	19.05	9.53	2.29	1.52	15.7	56~144	1778.00~4572.00

T-toothed synchronous belt	TYPE	Pitch	Tooth angle	Bottom tooth	Tooth height	Fillet	Tip	Belt thickness	Teeth number range	Pitch length
		pb	2y°	s	hg	r _f	r _a	h		
	T2.5	2.5	40	1.50	0.70	0.2	0.2	1.3	42~312	105.00~780.00
	T5	5.0	40	2.65	1.20	0.4	0.4	2.2	30~400	150.00~2000.00
	T10	10.0	40	5.30	2.50	0.6	0.6	4.5	34~536	340.00~5360.00
	T20	20.0	40	10.15	5.00	0.8	0.8	8.0	61~181	1220.00~3620.00
	AT5	5	50	-	1.20	-	-	2.70	-	-
	AT10	10	50	-	0.50	-	-	5.00	-	-
	AT20	20	50	-	5.00	-	-	8.00	-	-

Arc synchronous belt	TYPE	Pitch	Tooth angle	Bottom tooth	Tooth height	Fillet	Tip	Belt thickness	Teeth number range	pitch length
		pb	2y°	s	hg	r _f	r _a	h		
	3M	3.0	14	1.78	1.17	0.24-0.3	0.87	2.40	35~1000	105.00~3000.00
	5M	5.0	14	3.05	2.06	0.40-0.44	1.49	3.80	35~852	175.00~4260.00
	8M	8.0	14	5.15	3.36	0.64-0.76	2.46	6.00	36~565	288.00~4520.00
	14M	14.0	14	9.40	6.02	1.2-1.35	4.50	10.00	56~340	784.00~4760.00
	20M	20.0	14	14.00	8.4	1.77-2.01	6.50	13.20	100~260	2000.00~5200.00

S-toothed synchronous belt	TYPE	Pitch	Bottom tooth	Tooth height	Fillet	Tip	Belt thickness	Teeth number range	pitch length
		pb	s	hg	r _f	r _a	h		
	S2M	2.0	1.30	0.76	1.30	0.20	1.36	44~1914	88.00~3828.00
	S3M	3.0	1.95	1.14	1.95	0.30	1.94	41~500	123.00~1500.00
	S4.5M	4.5	2.93	1.71	2.93	0.45	2.81	40~201	180.00~904.50
	S5M	5.0	3.25	1.91	3.25	0.50	3.41	30~560	150.00~2800.00
	S8M	8	5.20	3.05	5.20	0.80	5.30	53~500	424.00~4000.00
	S14M	14	9.10	5.30	9.10	1.40	10.20	69~322	966.00~4508.00


Parabolic synchronous belt	TYPE	Pitch	Bottom tooth	Tooth height	Belt thickness	Teeth number range	pitch length
		pb	s	hg	h		
	R2M	2	1.30	0.73	1.3	56~612	88.00~3828.00
	R3M	3	1.95	1.09	1.9	30~621	123.00~1500.00
	R5M	5	3.25	1.81	3.6	36~400	180.00~904.50
	R8M	8	5.20	2.90	5.5	40~550	150.00~2800.00
	R14M	14	9.50	6.00	10.0	69~327	424.00~4000.00

G, Y-toothed synchronous belt	TYPE	Pitch	Tooth height	Fillet	Fillet radius	Top arc	b	Belt thickness	Teeth number range	pitch length
		pb	hg	r _f	r ₂	r ₃		h		
	3MR	3.0	1.14	0.25	1.52	0.85	0.61	2.40	30~621	90.00~1863.00
	5MR	5.0	1.93	0.51	2.54	1.37	1.03	3.80	36~400	180.00~2000.00



Trapezoid Classical Timing Belts

model=MXL
pitch=2.032mm




B72×MXL×0.25

Belt width = 0.25inch
Tooth pitch MXL=2.032mm
Teeth number = 72

Specification	Section line length	Tooth number	Specification	Section line length	Tooth number	Specification	Section line length	Tooth number	Specification	Section line length	Tooth number
B26MXL	52.83	26	B78MXL	158.50	78	B123MXL	249.94	123	B183MXL	371.86	183
B27MXL	54.86	27	B79MXL	160.53	79	B124MXL	251.97	124	B184MXL	373.89	184
B30MXL	60.96	30	B80MXL	162.56	80	B125MXL	254.00	125	B187MXL	379.98	187
B33MXL	67.06	33	B81MXL	164.59	81	B126MXL	256.03	126	B188MXL	382.02	188
B34MXL	69.09	34	B82MXL	166.62	82	B127MXL	258.06	127	B190MXL	386.08	190
B35MXL	71.12	35	B83MXL	168.66	83	B128MXL	260.10	128	B192MXL	390.14	192
B36MXL	73.15	36	B84MXL	170.69	84	B129MXL	262.13	129	B194MXL	394.21	194
B37MXL	75.18	37	B85MXL	172.72	85	B130MXL	264.16	130	B195MXL	396.24	195
B38MXL	77.22	38	B86MXL	174.75	86	B131MXL	266.19	131	B197MXL	400.30	197
B40MXL	81.28	40	B87MXL	176.78	87	B132MXL	268.22	132	B198MXL	402.34	198
B41MXL	83.31	41	B88MXL	178.82	88	B133MXL	270.26	133	B200MXL	406.40	200
B42MXL	85.34	42	B89MXL	180.85	89	B134MXL	272.29	134	B202MXL	410.46	202
B43MXL	87.38	43	B90MXL	182.88	90	B135MXL	274.32	135	B203MXL	412.50	203
B45MXL	91.44	45	B91MXL	184.91	91	B136MXL	276.35	136	B205MXL	416.56	205
B47MXL	95.50	47	B92MXL	186.94	92	B137MXL	278.38	137	B206MXL	418.59	206
B48MXL	97.54	48	B93MXL	188.98	93	B138MXL	280.42	138	B210MXL	426.72	210
B49MXL	99.57	49	B94MXL	191.01	94	B139MXL	282.45	139	B212MXL	430.78	212
B50MXL	101.60	50	B95MXL	193.04	95	B140MXL	284.48	140	B215MXL	436.88	215
B51MXL	103.63	51	B96MXL	195.07	96	B142MXL	288.54	142	B216MXL	438.91	216
B52MXL	105.66	52	B97MXL	197.10	97	B144MXL	292.61	144	B221MXL	449.07	221
B53MXL	107.70	53	B98MXL	199.14	98	B145MXL	294.64	145	B222MXL	451.10	222
B54MXL	109.73	54	B99MXL	201.17	99	B146MXL	296.67	146	B224MXL	455.17	224
B55MXL	111.76	55	B100MXL	203.20	100	B147MXL	298.70	147	B225MXL	457.20	225
B56MXL	113.79	56	B101MXL	205.23	101	B148MXL	300.74	148	B228MXL	463.30	228
B57MXL	115.82	57	B102MXL	207.26	102	B149MXL	302.77	149	B229MXL	465.33	229
B58MXL	117.86	58	B103MXL	209.30	103	B150MXL	304.80	150	B230MXL	467.36	230
B59MXL	119.89	59	B104MXL	211.33	104	B151MXL	306.83	151	B232MXL	471.42	232
B60MXL	121.92	60	B105MXL	213.36	105	B152MXL	308.86	152	B236MXL	479.55	236
B61MXL	123.95	61	B106MXL	215.39	106	B153MXL	310.90	153	B237MXL	481.58	237
B62MXL	125.98	62	B107MXL	217.42	107	B154MXL	312.93	154	B238MXL	483.62	238
B63MXL	128.02	63	B108MXL	219.46	108	B155MXL	314.96	155	B239MXL	485.65	239
B64MXL	130.05	64	B109MXL	221.49	109	B156MXL	316.99	156	B240MXL	487.68	240
B65MXL	132.08	65	B110MXL	223.52	110	B157MXL	319.02	157	B243MXL	493.78	243
B66MXL	134.11	66	B111MXL	225.55	111	B158MXL	321.06	158	B248MXL	503.94	248
B67MXL	136.14	67	B112MXL	227.58	112	B160MXL	325.12	160	B249MXL	505.97	249
B68MXL	138.18	68	B113MXL	229.62	113	B161MXL	327.15	161	B250MXL	508.00	250
B69MXL	140.21	69	B114MXL	231.65	114	B162MXL	329.18	162	B251MXL	510.03	251
B70MXL	142.24	70	B115MXL	233.68	115	B163MXL	331.22	163	B256MXL	520.19	256
B71MXL	144.27	71	B116MXL	235.71	116	B165MXL	335.28	165	B260MXL	528.32	260
B72MXL	146.30	72	B117MXL	237.74	117	B168MXL	341.38	168	B265MXL	538.48	265
B73MXL	148.34	73	B118MXL	239.78	118	B170MXL	345.44	170	B270MXL	548.64	270
B74MXL	150.37	74	B119MXL	241.81	119	B171MXL	347.47	171	B273MXL	554.74	273
B75MXL	152.40	75	B120MXL	243.84	120	B175MXL	355.60	175	B276MXL	560.83	276
B76MXL	154.43	76	B121MXL	245.87	121	B177MXL	359.66	177	B280MXL	568.96	280
B77MXL	156.46	77	B122MXL	247.90	122	B180MXL	365.76	180	B285MXL	579.12	285

1.We can cut timing belt according to customer requirements in case that the size of width can not be found in the content.
2.We can make the timing belt according to customer requirements in case that the size can not be found in the content.

model=MXL
pitch=2.032mm



B72×MXL×0.25


Belt width = 0.25inch
Tooth pitch MXL=2.032mm
Teeth number = 72

Specification	Section line length	Tooth number	Specification	Section line length	Tooth number	Specification	Section line length	Tooth number	Specification	Section line length	Tooth number
B288MXL	585.22	288	B453MXL	920.50	453	B957MXL	1944.62	957	B1778MXL	3612.90	1778
B290MXL	589.28	290	B460MXL	934.72	460	B1012MXL	2056.38	1012	B1800MXL	3657.60	1800
B292MXL	593.34	292	B463MXL	940.82	463	B1030MXL	2092.96	1030	B1806MXL	3669.79	1806
B295MXL	599.44	295	B464MXL	942.85	464	B1060MXL	2153.92	1060	B1808MXL	3673.86	1808
B297MXL	603.50	297	B472MXL	959.10	472	B1076MXL	2186.43	1076	B1875MXL	3810.00	1875
B298MXL	605.54	298	B478MXL	971.30	478	B1078MXL	2190.50	1078	B1880MXL	3820.16	1880
B300MXL	609.60	300	B498MXL	1011.94	498	B1080MXL	2194.56	1080	B1900MXL	3860.80	1900
B305MXL	619.76	305	B500MXL	1016.00	500	B1082MXL	2198.62	1082	B2000MXL	4064.00	2000
B309MXL	627.89	309	B504MXL	1024.13	504	B1088MXL	2210.82	1088	B2044MXL	4153.41	2044
B310MXL	629.92	310	B505MXL	1026.16	505	B1090MXL	2214.88	1090	B2100MXL	4267.20	2100
B312MXL	633.98	312	B522MXL	1060.70	522	B1092MXL	2218.94	1092	B2200MXL	4470.40	2200
B315MXL	640.08	315	B523MXL	1062.74	523	B1098MXL	2231.14	1098	B2214MXL	4498.85	2214
B318MXL	646.18	318	B531MXL	1078.99	531	B110MXL	2235.20	1100	B2300MXL	4673.60	2300
B320MXL	650.24	320	B541MXL	1099.31	541	B1120MXL	2275.84	1120	B2400MXL	4876.80	2400
B322MXL	654.30	322	B544MXL	1105.41	544	B1137MXL	2310.38	1137	B2500MXL	5080.00	2500
B324MXL	658.37	324	B546MXL	1109.47	546	B1166MXL	2369.31	1166	B2600MXL	5283.20	2600
B325MXL	660.40	325	B548MXL	1113.54	548	B1200MXL	2438.40	1200	B2700MXL	5486.40	2700
B328MXL	666.50	328	B549MXL	1115.57	549	B1250MXL	2540.00	1250	B2720MXL	5527.04	2720
B330MXL	670.56	330	B556MXL	1129.79	556	B1300MXL	2641.60	1300	B2740MXL	5567.68	2740
B332MXL	674.62	332	B570MXL	1158.24	570	B1350MXL	2743.20	1350	B2745MXL	5577.84	2745
B334MXL	678.69	334	B581MXL	1160.27	571	B1380MXL	2804.16	1380	B2750MXL	5588.00	2750
B336MXL	682.75	336	B580MXL	1178.56	580	B1392MXL	2828.54	1392	B2753MXL	5594.10	2753
B340MXL	690.88	340	B583MXL	1184.66	583	B1400MXL	2844.80	1400	B2755MXL	5598.16	2755
B341MXL	692.91	341	B594MXL	1207.01	594	B1426MXL	2897.63	1426			
B347MXL	705.10	347	B600MXL	1219.20	600	B1430MXL	2905.76	1430			
B348MXL	707.14	348	B610MXL	1239.52	610	B1450MXL	2946.40	1450			
B350MXL	711.20	350	B612MXL	1243.58	612	B1463MXL	2972.82	1463			
B358MXL	727.46	358	B620MXL	1259.84	620	B1470MXL	2987.04	1470			
B362MXL	735.58	362	B648MXL	1316.74	648	B1490MXL	3027.68	1490			
B365MXL	741.68	365	B652MXL	1324.86	652	B1500MXL	3048.00	1500			
B371MXL	753.87	371	B652MXL	1332.99	656	B1516MXL	3080.51	1516			
B372MXL	755.90	372	B680MXL	1381.76	680	B1520MXL	3088.64	1520			
B378MXL	768.10	378	B705MXL	1432.56	705	B1530MXL	3108.96	1530			
B380MXL	772.16	380	B726MXL	1475.23	726	B1550MXL	3149.60	1550			
B388MXL	788.42	388	B750MXL	1524.00	750	B1560MXL	3169.92	1560			
B390MXL	792.48	390	B760MXL	1544.32	760	B1580MXL	3210.56	1580			
B397MXL	806.70	397	B762MXL	1548.38	762	B1620MXL	3291.84	1620			
B400MXL	812.80	400	B763MXL	1550.42	763	B1650MXL	3352.80	1650			
B402MXL	816.86	402	B776MXL	1576.83	776	B1670MXL	3393.44	1670			
B405MXL	822.96	405	B800MXL	1625.60	800	B1690MXL	3434.08	1690			
B408MXL	829.06	408	B805MXL	1635.76	805	B1710MXL	3474.72	1710			
B412MXL	837.18	412	B875MXL	1778.00	875	B1730MXL	3515.36	1730			
B424MXL	861.57	424	B906MXL	1840.99	906	B1732MXL	3519.42	1732			
B427MXL	867.66	427	B930MXL	1889.76	930	B1750MXL	3556.00	1750			
B448MXL	910.34	448	B955MXL	1940.56	955	B1770MXL	3596.64	1770			



Timing belt Used in food processing

model=XXL
pitch=3.175mm




B40×XXL×037
Belt width = 0.37inch
Tooth pitch XXL=3.175mm
Teeth Number = 40

Specification	Section line length	Tooth number	Specification	Section line length	Tooth number	Specification	Section line length	Tooth number	Specification	Section line length	Tooth number
B40XXL	127	40	B192XXL	609.6	192	42XL	106.68	21	140XL	355.6	70
B44XXL	139.7	44	B200XXL	635	200	44XL	111.76	22	142XL	360.68	71
B46XXL	146.05	46	B215XXL	682.625	215	46XL	116.84	23	144XL	365.76	72
B52XXL	165.1	52	B222XXL	704.85	222	48XL	121.92	24	146XL	370.84	73
B64XXL	203.2	64	B230XXL	730.25	230	50XL	127	25	148XL	375.92	74
B70XXL	222.25	70	B240XXL	762	240	54XL	137.16	27	150XL	381	75
B72XXL	228.6	72	B250XXL	793.75	250	56XL	142.24	28	152XL	386.08	76
B79XXL	250.825	79	B280XXL	889	280	60XL	152.4	30	154XL	391.16	77
B80XXL	254	80	B310XXL	984.25	310	64XL	162.56	32	156XL	396.24	78
B88XXL	279.4	88	B350XXL	1111.25	350	68XL	172.72	34	158XL	401.32	79
B90XXL	285.75	90	B380XXL	1206.5	380	70XL	177.8	35	160XL	406.4	80
B91XXL	288.925	91	B400XXL	1270	400	72XL	182.88	36	162XL	411.48	81
B94XXL	298.45	94	B412XXL	1308.1	412	74XL	187.96	37	164XL	416.56	82
B96XXL	304.8	96	B463XXL	1470.025	463	76XL	193.04	38	166XL	421.64	83
B104XXL	330.2	104	B490XXL	1555.75	490	78XL	198.12	39	168XL	426.72	84
B107XXL	339.725	107	B560XXL	1778	560	80XL	203.2	40	170XL	431.8	85
B112XXL	355.6	112	B600XXL	1905	600	82XL	208.28	41	172XL	436.88	86
B114XXL	361.95	114	B800XXL	2540	800	84XL	213.36	42	174XL	441.96	87
B120XXL	381	120	B900XXL	2857.5	900	86XL	218.44	43	176XL	447.04	88
B124XXL	393.7	124	B1000XXL	3175	1000	88XL	223.52	44	178XL	452.12	89
B126XXL	400.05	126	B1100XXL	3492.5	1100	90XL	228.6	45	180XL	457.2	90
B128XXL	406.4	128				92XL	233.68	46	182XL	462.28	91
B129XXL	409.575	129				94XL	238.76	47	184XL	467.36	92
B131XXL	415.925	131	Standard width for XXL			96XL	243.84	48	186XL	472.44	93
B140XXL	444.5	140	012"	3mm		98XL	248.92	49	188XL	477.52	94
B144XXL	457.2	144	019"	4.8mm		100XL	254	50	190XL	482.6	95
B150XXL	476.25	150	025"	6.4mm		102XL	259.08	51	192XL	487.68	96
B152XXL	482.6	152	031"	7.9mm		104XL	264.16	52	194XL	492.76	97
B154XXL	488.95	154	037"	9.4mm		106XL	269.24	53	196XL	497.84	98
B156XXL	495.3	156				108XL	274.32	54	198XL	502.92	99
B158XXL	501.65	158				110XL	279.4	55	200XL	508	100
B159XXL	504.825	159				112XL	284.48	56	202XL	513.08	101
B160XXL	508	160				114XL	289.56	57	204XL	518.16	102
B161XXL	511.175	161				116XL	294.64	58	206XL	523.24	103
B162XXL	514.35	162				118XL	299.72	59	208XL	528.32	104
B163XXL	517.525	163				120XL	304.8	60	210XL	533.4	105
B164XXL	520.7	164				122XL	309.88	61	212XL	538.48	106
B165XXL	523.875	165				124XL	314.96	62	214XL	543.56	107
B166XXL	527.05	166				126XL	320.04	63	216XL	548.64	108
B168XXL	533.4	168				128XL	325.12	64	218XL	553.72	109
B175XXL	555.625	175				130XL	330.2	65	220XL	558.8	110
B182XXL	577.85	182				132XL	335.28	66	222XL	563.88	111
B185XXL	587.375	185				134XL	340.36	67	224XL	568.96	112
B186XXL	590.55	186				136XL	345.44	68	226XL	574.04	113
B191XXL	606.425	191				138XL	350.52	69	228XL	579.12	114

1.We can cut timing belt according to customer requirements in case that the size of width can not be found in the content.
2.We can make the timing belt according to customer requirements in case that the size can not be found in the content.


model=XL
pitch=5.08mm



210×XL×0.37
Belt width = 0.37inch
Tooth pitch XL=5.08mm
Pitch length = 21inch

Specification	Section line length	Tooth number	Specification	Section line length	Tooth number	Specification	Section line length	Tooth number	Specification	Section line length	Tooth number
230XL	584.2	115	364XL	924.56	182	670XL	1701.8	335	67L	171.45	18
234XL	594.36	117	370XL	939.8	185	672XL	1706.88	336	98L	247.65	26
236XL	599.44	118	372XL	944.88	186	686XL	1742.44	343	101L	257.18	27
240XL	609.6	120	376XL	955.04	188	700XL	1778	350	109L	276.225	29
244XL	619.76	122	380XL	965.2	190	710XL	1803.4	355	112L	285.75	30
248XL	629.92	124	384XL	975.36	192	720XL	1828.8	360	124L	314.325	33
250XL	635	125	390XL	990.6	195	736XL	1869.44	368	131L	333.375	35
252XL	640.08	126	392XL	995.68	196	754XL	1915.16	377	135L	342.9	36
254XL	645.16	127	396XL	1005.84	198	788XL	2001.52	394	143L	361.95	38
256XL	650.24	128	400XL	1016	200	828XL	2103.12	414	150L	381	40
260XL	660.4	130	412XL	1046.48	206	860XL	2184.4	430	154L	390.525	41
262XL	665.48	131	414XL	1051.56	207	888XL	2255.52	444	157L	400.05	42
264XL	670.56	132	420XL	1066.8	210	900XL	2286	450	161L	409.575	43
266XL	675.64	133	424XL	1076.96	212	950XL	2413	475	165L	419.1	44
270XL	685.8	135	430XL	1092.2	215	980XL	2489.2	490	169L	428.625	45
274XL	695.96	137	432XL	1097.28	216	1016XL	2580.64	508	173L	438.15	46
276XL	701.04	138	434XL	1102.36	217	1020XL	2590.8	510	176L	447.675	47
278XL	706.12	139	450XL	1143	225	1032XL	2621.28	516	180L	457.2	48
280XL	711.2	140	460XL	1168.4	230	1100XL	2794	550	184L	466.725	49
282XL	716.28	141	480XL	1219.2	240	1200XL	3048	600	187L	476.25	50
284XL	721.36	142	490XL	1244.6	245	1220XL	3098.8	610	191L	485.775	51
286XL	726.44	143	492XL	1249.68	246	1300XL	3302	650	195L	495.3	52
290XL	736.6	145	498XL	1264.92	249	1420XL	3606.8	710	199L	504.825	53
296XL	751.84	148	506XL	1285.24	253	1494XL	3794.76	747	203L	514.35	54
300XL	762	150	510XL	1295.4	255	1500XL	3810	750	206L	523.875	55
304XL	772.16	152	514XL	1305.56	257	1560XL	3962.4	780	210L	533.4	56
306XL	777.24	153	522XL	1325.88	261	1600XL	4064	800	214L	542.925	57
310XL	787.4	155	532XL	1351.28	266	1700XL	4318	850	217L	552.45	58
312XL	792.48	156	540XL	1371.6	270	1800XL	4572	900	221L	561.975	59
314XL	797.56	157	550XL	1397	275	2000XL	5080	1000	225L	571.5	60
316XL	802.64	158	552XL	1402.08	276	2160XL	5486.4	1080	229L	581.025	61
320XL	812.8	160	554XL	1407.16	277	2128XL	5405.12	1064	232L	590.55	62
322XL	817.88	161	560XL	1422.4	280	2200XL	5588	1100	236L	600.075	63
326XL	828.04	163	564XL	1432.56	282				240L	609.6	64
330XL	838.2	165	566XL	1437.64	283				244L	619.125	65
336XL	853.44	168	572XL	1452.88	286	Standard width for XL			248L	628.65	66
338XL	858.52	169	574XL	1457.96	287	025"	6.4mm		251L	638.175	67
340XL	863.6	170	576XL	1463.04	288	031"	7.9mm		255L	647.7	68
344XL	873.76	172	580XL	1473.2	290	037"	9.4mm		259L	657.225	69
348XL	883.92	174	592XL	1503.68	296				263L	666.75	70
350XL	889	175	600XL	1524	300				266L	676.275	71
352XL	894.08	176	612XL	1554.48	306				270L	685.8	72
356XL	904.24	178	616XL	1564.64	308				274L	695.325	73
360XL	914.4	180	630XL	1600.2	315				277L	704.85	74
362XL	919.48	181	662XL	1681.48	331				281L	714.375	75

model=L
pitch=9.525mm




300×L×0.75

Belt width = 0.75inch
Tooth pitch L=9.525mm
Pitch length = 30inch

Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number
285L	723.9	76	518L	1314.45	138	1050L	2667	280	145H	368.3	29
292L	742.95	78	525L	1333.5	140	1088L	2762.25	290	185H	469.9	37
300L	762	80	540L	1371.6	144	1129L	2867.025	301	200H	508	40
304L	771.525	81	548L	1390.65	146	1148L	2914.65	306	205H	520.7	41
311L	790.575	83	551L	1400.175	147	1185L	3009.9	316	210H	533.4	42
315L	800.1	84	555L	1409.7	148	1192L	3028.95	318	220H	558.8	44
319L	809.625	85	563L	1428.75	150	1208L	3067.05	322	225H	571.5	45
322L	819.15	86	570L	1447.8	152	1238L	3143.25	330	230H	584.2	46
326L	828.675	87	574L	1457.325	153	1275L	3238.5	340	240H	609.6	48
330L	838.2	88	581L	1476.375	155	1290L	3276.6	344	245H	622.3	49
334L	847.725	89	585L	1485.9	156	1324L	3362.325	353	250H	635	50
337L	857.25	90	600L	1524	160	1350L	3429	360	255H	647.7	51
341L	866.775	91	619L	1571.625	165	1406L	3571.875	375	260H	660.4	52
345L	876.3	92	630L	1600.2	168	1410L	3581.4	376	270H	685.8	54
352L	895.35	94	634L	1609.725	169	1418L	3600.45	378	280H	711.2	56
360L	914.4	96	653L	1657.35	174	1459L	3705.225	389	285H	723.9	57
367L	933.45	98	660L	1676.4	176	1500L	3810	400	290H	736.6	58
371L	942.975	99	675L	1714.5	180	1523L	3867.15	406	300H	762	60
375L	952.5	100	694L	1762.125	185	1538L	3905.25	410	310H	787.4	62
382L	971.55	102	697L	1771.65	186	1545L	3924.3	412	315H	800.1	63
386L	981.075	103	701L	1781.175	187	1594L	4048.125	425	320H	812.8	64
390L	990.6	104	709L	1800.225	189	1613L	4095.75	430	325H	825.5	65
394L	1000.125	105	720L	1828.8	192	1669L	4238.625	445	330H	838.2	66
398L	1009.65	106	728L	1847.85	194	1676L	4257.675	447	335H	850.9	67
405L	1028.7	108	731L	1857.375	195	1688L	4286.25	450	340H	863.6	68
409L	1038.225	109	739L	1876.425	197	1744L	4429.125	465	345H	876.3	69
412L	1047.75	110	750L	1905	200	1763L	4476.75	470	350H	889	70
420L	1066.8	112	765L	1943.1	204	1770L	4495.8	472	355H	901.7	71
427L	1085.85	114	769L	1952.625	205	1988L	5048.25	530	360H	914.4	72
431L	1095.375	115	780L	1981.2	208	2700L	6858	720	365H	927.1	73
435L	1104.9	116	788L	2000.25	210	3000L	7620	800	370H	939.8	74
439L	1114.425	117	817L	2076.45	218				375H	952.5	75
442L	1123.95	118	840L	2133.6	224				380H	965.2	76
450L	1143	120	855L	2171.7	228	Standard width for L			385H	977.9	77
454L	1152.525	121	863L	2190.75	230	050"	12.7mm		390H	990.6	78
457L	1162.05	122	870L	2209.8	232	075"	19.1mm		395H	1003.3	79
461L	1171.575	123	881L	2238.375	235	100"	25.4mm		400H	1016	80
465L	1181.1	124	900L	2286	240				405H	1028.7	81
472L	1200.15	126	915L	2324.1	244				410H	1041.4	82
480L	1219.2	128	934L	2371.725	249				415H	1054.1	83
491L	1247.775	131	960L	2438.4	256				420H	1066.8	84
495L	1257.3	132	979L	2486.025	261				425H	1079.5	85
499L	1266.825	133	994L	2524.125	265				430H	1092.2	86
510L	1295.4	136	1028L	2609.85	274				435H	1104.9	87
514L	1304.925	137	1043L	2647.95	278				440H	1117.6	88

1.We can cut timing belt according to customer requirements in case that the size of width can not be found in the content.
2.We can make the timing belt according to customer requirements in case that the size can not be found in the content.

model=H
pitch=12.7mm




420×H×150

Belt width = 1.5inch
Tooth pitch H=12.7mm
Pitch length = 42inch

Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number
445H	1130.3	89	725H	1841.5	145	1180H	2997.2	236	1950H	4953	390
450H	1143	90	730H	1854.2	146	1200H	3048	240	1995H	5067.3	399
455H	1155.7	91	740H	1879.6	148	1205H	3060.7	241	2005H	5092.7	401
460H	1168.4	92	750H	1905	150	1250H	3175	250	2010H	5105.4	402
465H	1181.1	93	755H	1917.7	151	1260H	3200.4	252	2050H	5207	410
470H	1193.8	94	760H	1930.4	152	1270H	3225.8	254	2090H	5308.6	418
475H	1206.5	95	770H	1955.8	154	1285H	3263.9	257	2100H	5334	420
480H	1219.2	96	775H	1968.5	155	1300H	3302	260	2120H	5384.8	424
485H	1231.9	97	780H	1981.2	156	1325H	3365.5	265	2125H	5397.5	425
490H	1244.6	98	785H	1993.9	157	1345H	3416.3	269	2145H	5448.3	429
500H	1270	100	790H	2006.6	158	1350H	3429	270	2150H	5461	430
510H	1295.4	102	800H	2032	160	1360H	3454.4	272	2160H	5486.4	432
515H	1308.1	103	810H	2057.4	162	1380H	3505.2	276	2180H	5537.2	436
520H	1320.8	104	820H	2082.8	164	1390H	3530.6	278	2200H	5588	440
525H	1333.5	105	830H	2108.2	166	1400H	3556	280	2210H	5613.4	442
530H	1346.2	106	840H	2133.6	168	1440H	3657.6	288	2260H	5740.4	452
535H	1358.9	107	850H	2159	170	1450H	3683	290	2320H	5892.8	464
540H	1371.6	108	860H	2184.4	172	1460H	3708.4	292	2355H	5981.7	471
545H	1384.3	109	880H	2235.2	176	1500H	3810	300	2360H	5994.4	472
550H	1397	110	895H	2273.3	179	1510H	3835.4	302	2385H	6057.9	477
560H	1422.4	112	900H	2286	180	1520H	3860.8	304	2440H	6197.6	488
565H	1435.1	113	920H	2336.8	184	1535H	3898.9	307	2475H	6286.5	495
570H	1447.8	114	930H	2362.2	186	1540H	3911.6	308	2500H	6350	500
575H	1460.5	115	950H	2413	190	1550H	3937	310	2600H	6604	520
580H	1473.2	116	960H	2438.4	192	1560H	3962.4	312	2640H	6705.6	528
585H	1485.9	117	970H	2463.8	194	1600H	4064	320	2680H	6807.2	536
590H	1498.6	118	980H	2489.2	196	1630H	4140.2	326	2695H	6845.3	539
600H	1524	120	985H	2501.9	197	1645H	4178.3	329	2700H	6858	540
605H	1536.7	121	1000H	2540	200	1650H	4191	330	2720H	6908.8	544
610H	1549.4	122	1020H	2590.8	204	1660H	4216.4	332	3000H	7620	600
615H	1562.1	123	1030H	2616.2	206	1680H	4267.2	336			
620H	1574.8	124	1040H	2641.6	208	1700H	4318	340			
625H	1587.5	125	1050H	2667	210	1740H	4419.6	348			
630H	1600.2	126	1070H	2717.8	214	1750H	4445	350	Standard width for H		
640H	1625.6	128	1085H	2755.9	217	1765H	4483.1	353	075"	19.1mm	
650H	1651	130	1100H	2794	220	1775H	4508.5	355	100"	25.4mm	
660H	1676.4	132	1110H	2819.4	222	1790H	4546.6	358	150"	38.1mm	
670H	1701.8	134	1120H	2844.8	224	1800H	4572	360	200"	50.8mm	
674H	1714.5	135	1125H	2857.5	225	1830H	4648.2	366	300"	76.2mm	
680H	1727.2	136	1130H	2870.2	226	1850H	4699	370			
690H	1752.6	138	1140H	2895.6	228	1855H	4711.7	371			
695H	1765.3	139	1150H	2921	230	1860H	4724.4	372			
700H	1778	140	1160H	2946.4	232	1890H	4800.6	378			
710H	1803.4	142	1170H	2971.8	234	1900H	4826	380			
720H	1828.8	144	1175H	2984.5	235	1920H	4876.8	384			

Trapezoid Classical Timing Belts

model=XH
pitch=22.225mm



560×XH×200

Belt width = 2inch
Tooth pitch H=22.225mm
Pitch length = 56inch


Specification	Section line length	Tooth number	Specification	Section line length	Tooth number	Specification	Section line length	Tooth number	Specification	Section line length	Tooth number
341XH	866.78	39	1120XH	2844.80	128	625XXH	1587.50	50	Standard width for XXH		
368XH	933.45	42	1199XH	3044.83	137	650XXH	1651.00	52	200"	50.8mm	
394XH	1000.13	45	1260XH	3200.40	144	700XXH	1778.00	56	300"	76.2mm	
411XH	1044.58	47	1330XH	3378.20	152	800XXH	2032.00	64	400"	101.6mm	
429XH	1089.03	49	1400XH	3556.00	160	900XXH	2286.00	72	500"	127.0mm	
446XH	1133.48	51	1496XH	3800.48	171	950XXH	2413.00	76			
464XH	1177.93	53	1540XH	3911.60	176	1000XXH	2540.00	80			
481XH	1222.38	55	1575XH	4000.50	180	1050XXH	2667.00	84			
499XH	1266.83	57	1619XH	4111.63	185	1100XXH	2794.00	88			
508XH	1289.05	58	1750XH	4445.00	200	1200XXH	3048.00	96			
543XH	1377.95	62	1838XH	4667.25	210	1250XXH	3175.00	100			
560XH	1422.40	64	1873XH	4756.15	214	1400XXH	3556.00	112			
569XH	1444.63	65	1925XH	4889.50	220	1537.5XXH	3905.25	123			
578XH	1466.85	66	2030XH	5156.20	232	1562.5XXH	3968.75	125			
595XH	1511.30	68	2196XH	5578.48	251	1600XXH	4064.00	128			
604XH	1533.53	69				1700XXH	4318.00	136			
613XH	1555.75	70				1800XXH	4572.00	144			
621XH	1577.98	71				1925XXH	4889.50	154			
630XH	1600.20	72				2000XXH	5080.00	160			
648XH	1644.65	74	Standard width for XH			3000XXH	7620.00	240			
656XH	1666.88	75	200"		50.8mm						
665XH	1689.10	76	300"		76.2mm						
691XH	1755.78	79	400"		101.6mm						
700XH	1778.00	80	500"		127.0mm						
709XH	1800.23	81									
726XH	1844.68	83									
735XH	1866.90	84									
753XH	1911.35	86									
761XH	1933.58	87									
770XH	1955.80	88									
780XH	1978.03	89									
770XH	1955.80	88									
796XH	2022.48	91									
805XH	2044.70	92									
820XH	2089.15	94									
831XH	2111.38	95									
840XH	2133.60	96									
849XH	2155.83	97									
870XH	2200.28	99									
875XH	2222.50	100									
901XH	2289.18	103									
919XH	2333.63	105									
928XH	2355.85	106									
980XH	2489.20	112									
998XH	2533.65	114									



Timing belts used for wood-working machine

1.We can cut timing belt according to customer requirements in case that the size of width can not be found in the content.
2.We can make the timing belt according to customer requirements in case that the size can not be found in the content.

model=T5
pitch=5mm




300×T5××20

Belt width 20mm
Tooth pitch T5=5mm
Pitch length 300mm

Specification	Section line length	Tooth number	Specification	Section line length	Tooth number	Specification	Section line length	Tooth number	Specification	Section line length	Tooth number
T2.5-100	100.00	40	T2.5-580	580.00	232	T5-100	100.00	20	T5-455	455.00	91
T2.5-102.5	102.50	41	T2.5-620	620.00	248	T5-115	115.00	23	T5-460	460.00	92
T2.5-120	120.00	48	T2.5-635	635.00	254	T5-130	130.00	26	T5-475	475.00	95
T2.5-125	125.00	50	T2.5-650	650.00	260	T5-135	135.00	27	T5-480	480.00	96
T2.5-135	135.00	54	T2.5-690	690.00	276	T5-140	140.00	28	T5-485	485.00	97
T2.5-145	145.00	58	T2.5-705	705.00	282	T5-150	150.00	30	T5-500	500.00	100
T2.5-147.5	147.50	59	T2.5-787.5	787.50	315	T5-165	165.00	33	T5-505	505.00	101
T2.5-150	150.00	60	T2.5-800	800.00	320	T5-185	185.00	37	T5-510	510.00	102
T2.5-158	158.00	63	T2.5-905	905.00	362	T5-190	190.00	38	T5-520	520.00	104
T2.5-160	160.00	64	T2.5-950	950.00	380	T5-200	200.00	40	T5-525	525.00	105
T2.5-162.5	162.50	65	T2.5-975	975.00	390	T5-205	205.00	41	T5-540	540.00	108
T2.5-165	165.00	66	T2.5-1000	1000.00	400	T5-210	210.00	42	T5-545	545.00	109
T2.5-170	170.00	68	T2.5-1040	1040.00	416	T5-215	215.00	43	T5-550	550.00	110
T2.5-172.5	172.50	69	T2.5-1090	1090.00	436	T5-220	220.00	44	T5-560	560.00	112
T2.5-177.5	177.50	71	T2.5-1095	1095.00	438	T5-225	225.00	45	T5-570	570.00	114
T2.5-185	185.00	74	T2.5-1100	1100.00	440	T5-235	235.00	47	T5-575	575.00	115
T2.5-187.5	187.50	75	T2.5-1127.5	1127.50	451	T5-240	240.00	48	T5-580	580.00	116
T2.5-195	195.00	78	T2.5-1250	1250.00	500	T5-245	245.00	49	T5-585	585.00	117
T2.5-200	200.00	80	T2.5-1295	1295.00	518	T5-250	250.00	50	T5-590	590.00	118
T2.5-220	220.00	88	T2.5-1325	1325.00	530	T5-255	255.00	51	T5-600	600.00	120
T2.5-225	225.00	90	T2.5-1345	1345.00	538	T5-260	260.00	52	T5-605	605.00	121
T2.5-227.5	227.50	91	T2.5-1400	1400.00	560	T5-270	270.00	54	T5-610	610.00	122
T2.5-230	230.00	92	T2.5-1475	1475.00	590	T5-275	275.00	55	T5-620	620.00	124
T2.5-245	245.00	98	T2.5-1500	1500.00	600	T5-280	280.00	56	T5-625	625.00	125
T2.5-265	265.00	106	T2.5-1600	1600.00	640	T5-295	295.00	59	T5-630	630.00	126
T2.5-285	285.00	114	T2.5-1670	1670.00	668	T5-300	300.00	60	T5-635	635.00	127
T2.5-290	290.00	116	T2.5-1800	1800.00	720	T5-305	305.00	61	T5-640	640.00	128
T2.5-295	295.00	118	T2.5-2000	2000.00	800	T5-310	310.00	62	T5-645	645.00	129
T2.5-300	300.00	120	T2.5-2100	2100.00	840	T5-320	320.00	64	T5-650	650.00	130
T2.5-317.5	317.50	127	T2.5-2200	2200.00	880	T5-325	325.00	65	T5-660	660.00	132
T2.5-322.5	322.50	129	T2.5-2500	2500.00	1000	T5-330	330.00	66	T5-665	665.00	133
T2.5-330	330.00	132	T2.5-2825	2825.00	1130	T5-340	340.00	68	T5-670	670.00	134
T2.5-335	335.00	134	T2.5-3000	3000.00	1200	T5-345	345.00	69	T5-675	675.00	135
T2.5-350	350.00	140	T2.5-3250	3250.00	1300	T5-350	350.00	70	T5-685	685.00	137
T2.5-380	380.00	152	T2.5-3550	3550.00	1420	T5-355	355.00	71	T5-690	690.00	138
T2.5-390	390.00	156	T2.5-3900	3900.00	1560	T5-365	365.00	73	T5-700	700.00	140
T2.5-400	400.00	160	T2.5-4250	4250.00	1700	T5-375	375.00	75	T5-710	710.00	142
T2.5-410	410.00	164	T2.5-4500	4500.00	1800	T5-390	390.00	78	T5-720	720.00	144
T2.5-420	420.00	168	T2.5-4750	4750.00	1900	T5-395	395.00	79	T5-725	725.00	145
T2.5-425	425.00	170	T2.5-5000	5000.00	2000	T5-400	400.00	80	T5-740	740.00	148
T2.5-470	470.00	188	T2.5-5600	5600.00	2240	T5-410	410.00	82	T5-750	750.00	150
T2.5-480	480.00	192	Standard width for T2.5			T5-420	420.00	84	T5-770	770.00	154
T2.5-500	500.00	200	3, 6, 9, 15mm			T5-425	425.00	85	T5-775	775.00	155
T2.5-540	540.00	216	Standard width for T5			T5-445	445.00	89	T5-780	780.00	156
T2.5-550	550.00	220	5, 10, 15, 20mm			T5-450	450.00	90	T5-790	790.00	158

model=T10
pitch=10mm




960×T10×50
Belt width = 50mm
Tooth pitch T10=10mm
Pitch length = 960mm

Specification	Section line length	Tooth number	Specification	Section line length	Tooth number	Specification	Section line length	Tooth number	Specification	Section line length	Tooth number
T5-800	800.00	160	T5-1430	1430.00	286	T10-260	260.00	26	T10-980	980.00	98
T5-805	805.00	161	T5-1440	1440.00	288	T10-320	320.00	32	T10-1000	1000.00	100
T5-810	810.00	162	T5-1480	1480.00	296	T10-340	340.00	34	T10-1010	1010.00	101
T5-815	815.00	163	T5-1520	1520.00	304	T10-370	370.00	37	T10-1030	1030.00	103
T5-825	825.00	165	T5-1600	1600.00	320	T10-400	400.00	40	T10-1040	1040.00	104
T5-840	840.00	168	T5-1630	1630.00	326	T10-410	410.00	41	T10-1050	1050.00	105
T5-850	850.00	170	T5-1740	1740.00	348	T10-440	440.00	44	T10-1080	1080.00	108
T5-860	860.00	172	T5-1760	1760.00	352	T10-450	450.00	45	T10-1100	1100.00	110
T5-885	885.00	177	T5-1780	1780.00	356	T10-460	460.00	46	T10-1110	1110.00	111
T5-900	900.00	180	T5-1800	1800.00	360	T10-480	480.00	48	T10-1140	1140.00	114
T5-910	910.00	182	T5-1820	1820.00	364	T10-490	490.00	49	T10-1150	1150.00	115
T5-925	925.00	185	T5-1880	1880.00	376	T10-500	500.00	50	T10-1170	1170.00	117
T5-940	940.00	188	T5-1900	1900.00	380	T10-510	510.00	51	T10-1180	1180.00	118
T5-945	945.00	189	T5-1940	1940.00	388	T10-530	530.00	53	T10-1200	1200.00	120
T5-955	955.00	191	T5-1960	1960.00	392	T10-540	540.00	54	T10-1210	1210.00	121
T5-990	990.00	198	T5-2010	2010.00	402	T10-550	550.00	55	T10-1240	1240.00	124
T5-995	995.00	199	T5-2120	2120.00	424	T10-560	560.00	56	T10-1250	1250.00	125
T5-1000	1000.00	200	T5-2160	2160.00	432	T10-580	580.00	58	T10-1260	1260.00	126
T5-1020	1020.00	204	T5-2200	2200.00	440	T10-600	600.00	60	T10-1280	1280.00	128
T5-1030	1030.00	206	T5-2220	2220.00	444	T10-610	610.00	61	T10-1300	1300.00	130
T5-1045	1045.00	209	T5-2260	2260.00	452	T10-630	630.00	63	T10-1320	1320.00	132
T5-1050	1050.00	210	T5-2280	2280.00	456	T10-650	650.00	65	T10-1350	1350.00	135
T5-1060	1060.00	212	T5-2400	2400.00	480	T10-660	660.00	66	T10-1370	1370.00	137
T5-1065	1065.00	213	T5-2500	2500.00	500	T10-670	670.00	67	T10-1380	1380.00	138
T5-1075	1075.00	215	T5-2735	2735.00	547	T10-680	680.00	68	T10-1390	1390.00	139
T5-1100	1100.00	220	T5-2800	2800.00	560	T10-690	690.00	69	T10-1400	1400.00	140
T5-1120	1120.00	224	T5-2850	2850.00	570	T10-700	700.00	70	T10-1410	1410.00	141
T5-1140	1140.00	228	T5-3000	3000.00	600	T10-720	720.00	72	T10-1420	1420.00	142
T5-1150	1150.00	230	T5-3060	3060.00	612	T10-730	730.00	73	T10-1440	1440.00	144
T5-1165	1165.00	233	T5-3100	3100.00	620	T10-750	750.00	75	T10-1450	1450.00	145
T5-1200	1200.00	240	T5-3195	3195.00	639	T10-770	770.00	77	T10-1460	1460.00	146
T5-1215	1215.00	243	T5-3255	3255.00	651	T10-780	780.00	78	T10-1480	1480.00	148
T5-1250	1250.00	250	T5-3290	3290.00	658	T10-800	800.00	80	T10-1490	1490.00	149
T5-1260	1260.00	252	T5-3300	3300.00	660	T10-810	810.00	81	T10-1500	1500.00	150
T5-1270	1270.00	254	T5-3500	3500.00	700	T10-840	840.00	84	T10-1520	1520.00	152
T5-1275	1275.00	255	T5-3540	3540.00	708	T10-850	850.00	85	T10-1560	1560.00	156
T5-1300	1300.00	260	T5-3700	3700.00	740	T10-880	880.00	88	T10-1580	1580.00	158
T5-1325	1325.00	265	T5-3750	3750.00	750	T10-890	890.00	89	T10-1600	1600.00	160
T5-1330	1330.00	266	T5-4000	4000.00	800	T10-900	900.00	90	T10-1610	1610.00	161
T5-1350	1350.00	270	T5-4075	4075.00	815	T10-910	910.00	91	T10-1630	1630.00	163
T5-1380	1380.00	276	T5-4200	4200.00	840	T10-920	920.00	92	T10-1640	1640.00	164
T5-1390	1390.00	278	T5-4600	4600.00	920	T10-940	940.00	94	T10-1690	1690.00	169
T5-1400	1400.00	280	T5-4800	4800.00	960	T10-950	950.00	95	T10-1700	1700.00	170
T5-1415	1415.00	283	T5-5000	5000.00	1000	T10-960	960.00	96	T10-1720	1720.00	172
T5-1380	1380.00	276	T5-5600	5600.00	1120	T10-970	970.00	97	T10-1750	1750.00	175

1.We can cut timing belt according to customer requirements in case that the size of width can not be found in the content.
2.We can make the timing belt according to customer requirements in case that the size can not be found in the content.

model=T20
pitch=20mm



720×T20×50
Belt width = 50mm
Tooth pitch T20=20mm
Pitch length = 720mm

Specification	Section line length	Tooth number	Specification	Section line length	Tooth number	Specification	Section line length	Tooth number	Specification	Section line length	Tooth number
T10-1780	1780.00	178	T10-2990	2990	299	T10-5310	5310	531	T20-720	720	36
T10-1800	1800.00	180	T10-3000	3000	300	T10-5350	5350	535	T20-880	880	44
T10-1860	1860.00	186	T10-3010	3010	301	T10-5360	5360	536	T20-1080	1080	54
T10-1880	1880.00	188	T10-3040	3040	304	T10-5370	5370	537	T20-1180	1180	59
T10-1900	1900.00	190	T10-3100	3100	310	T10-5390	5390	539	T20-1220	1220	61
T10-1950	1950.00	195	T10-3160	3160	316	T10-5400	5400	540	T20-1240	1240	62
T10-1960	1960.00	196	T10-3200	3200	320	T10-5420	5420	542	T20-1260	1260	63
T10-1980	1980.00	198	T10-3230	3230	323	T10-5460	5460	546	T20-1280	1280	64
T10-2020	2020.00	202	T10-3300	3300	330	T10-5500	5500	550	T20-1320	1320	66
T10-2050	2050.00	205	T10-3340	3340	334	T10-5550	5550	555	T20-1460	1460	73
T10-2080	2080.00	208	T10-3450	3450	345	T10-5600	5600	560	T20-1600	1600	80
T10-2090	2090.00	209	T10-3500	3500	350	T10-5670	5670	567	T20-1680	1680	84
T10-2100	2100.00	210	T10-3560	3560	356	T10-6000	6000	600	T20-1700	1700	85
T10-2120	2120.00	212	T10-3600	3600	360	T10-6050	6050	605	T20-1760	1760	88
T10-2130	2130.00	213	T10-3680	3680	368	T10-6290	6290	629	T20-1780	1780	89
T10-2160	2160.00	216	T10-3780	3780	378	T10-6600	6600	660	T20-1880	1880	94
T10-2200	2200.00	220	T10-3870	3870	387	T10-6700	6700	670	T20-2040	2040	102
T10-2250	2250.00	225	T10-3900	3900	390	T10-7000	7000	700	T20-2200	2200	110
T10-2270	2270.00	227	T10-4040	4040	404	T10-7050	7050	705	T20-2240	2240	112
T10-2300	2300.00	230	T10-4170	4170	417	T10-7060	7060	706	T20-2600	2600	130
T10-2340	2340.00	234	T10-4270	4270	427				T20-2720	2720	136
T10-2360	2360.00	236	T10-4280	4280	428				T20-2740	2740	137
T10-2380	2380.00	238	T10-4300	4300	430				T20-2760	2760	138
T10-2430	2430.00	243	T10-4390	4390	439				T20-3100	3100	155
T10-2480	2480.00	248	T10-4400	4400	440				T20-3620	3620	181
T10-2500	2500.00	250	T10-4470	4470	447				T20-4760	4760	238
T10-2510	2510.00	251	T10-4580	4580	458				T20-5000	5000	250
T10-2520	2520.00	252	T10-4660	4660	466				T20-7600	7600	380
T10-2540	2540.00	254	T10-4680	4680	468						
T10-2550	2550.00	255	T10-4720	4720	472						
T10-2570	2570	257	T10-4780	4780	478						
T10-2580	2580	258	T10-4800	4800	480						
T10-2590	2590	259	T10-4850	4850	485						
T10-2600	2600	260	T10-4920	4920	492						
T10-2610	2610	261	T10-4960	4960	496						
T10-2640	2640	264	T10-4980	4980	498						
T10-2650	2650	265	T10-5000	5000	500						
T10-2670	2670	267	T10-5030	5030	503						
T10-2680	2680	268	T10-5060	5060	506						
T10-2700	2700	270	T10-5100	5100	510						
T10-2780	2780	278	T10-5180	5180	518						
T10-2800	2800	280	T10-5200	5200	520						
T10-2850	2850	285	T10-5220	5220	522						
T10-2880	2880	288	T10-5240	5240	524						
T10-2940	2940	294	T10-5300	5300	530						


Standard width for T10
15, 20, 25, 30, 40, 50mm

Standard width for T20
30, 50, 75, 100mm



Timing belt used in Textile machinery


model=AT20
pitch=20mm



880×AT20×50

Belt width = 50mm
Tooth pitch AT20=20mm
Pitch length = 880mm

Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number
AT5x220	220	44	AT10x450	450	45	AT10x2880	2880	288	AT20x880	880	44
AT5x225	225	45	AT10x460	460	46	AT10x3080	3080	308	AT20x1000	1000	50
AT5x255	255	51	AT10x500	500	50	AT10x3150	3150	315	AT20x1080	1080	54
AT5x280	280	56	AT10x530	530	53	AT10x3340	3340	334	AT20x1100	1100	55
AT5x300	300	60	AT10x560	560	56	AT10x3550	3550	355	AT20x1200	1200	60
AT5x305	305	61	AT10x580	580	58	AT10x4030	4030	403	AT20x1240	1240	62
AT5x330	330	66	AT10x610	610	61				AT20x1280	1280	64
AT5x340	340	68	AT10x660	660	66				AT20x1320	1320	66
AT5x375	375	75	AT10x700	700	70				AT20x1460	1460	73
AT5x390	390	78	AT10x730	730	73	Standard width for AT10 15, 20, 25, 30, 40, 50mm			AT20x1600	1600	80
AT5x420	420	84	AT10x780	780	78				AT20x1700	1700	85
AT5x455	455	91	AT10x800	800	80				AT20x1780	1780	89
AT5x480	480	96	AT10x840	840	84				AT20x1880	1880	94
AT5x500	500	100	AT10x890	890	89				AT20x1900	1900	95
AT5x545	545	109	AT10x920	920	92				AT20x2360	2360	118
AT5x600	600	120	AT10x960	960	96				AT20x2600	2600	130
AT5x610	610	122	AT10x980	980	98				AT20x2760	2760	138
AT5x630	630	126	AT10x1000	1000	100				AT20x3100	3100	155
AT5x660	660	132	AT10x1010	1010	101				AT20x3620	3620	181
AT5x690	690	138	AT10x1080	1080	108				AT20x4760	4760	238
AT5x710	710	142	AT10x1100	1100	110				AT20x6840	6840	342
AT5x750	750	150	AT10x1150	1150	115				AT20x7600	7600	380
AT5x780	780	156	AT10x1210	1210	121						
AT5x825	825	165	AT10x1230	1230	123						
AT5x975	975	195	AT10x1240	1240	124						
AT5x1050	1050	210	AT10x1250	1250	125						
AT5x1125	1125	225	AT10x1280	1280	128						
AT5x1420	1420	284	AT10x1320	1320	132						
AT5x1500	1500	300	AT10x1350	1350	135						
AT5x1520	1520	304	AT10x1360	1360	136						
AT5x1765	1765	353	AT10x1400	1400	140						
			AT10x1420	1420	142						
			AT10x1500	1500	150						
Standard width for AT5 5, 10, 15, 20mm			AT10x1530	1530	153						
			AT10x1600	1600	160						
			AT10x1610	1610	161						
			AT10x1630	1630	163						
			AT10x1650	1650	165						
			AT10x1800	1800	180						
			AT10x1860	1860	186						
			AT10x1940	1940	194						
			AT10x2000	2000	200						
			AT10x2250	2250	225						
			AT10x2400	2400	240						
			AT10x2590	2590	259						



Timing belt used in 3D printer


Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number
1.5x65	306.31	65	3x69	650.31	69	4x50	628.32	50	5x65	1021.02	65
1.5x78	367.57	78	3x72	678.58	72	4x60	753.98	60	5x67	1052.43	67
1.5x80	376.99	80	3x75	706.86	75	4x65	816.81	65	5x70	1099.56	70
1.5x84	395.84	84	3x77	725.71	77	4x68	854.51	68	5x75	1178.1	75
1.5x90	424.12	90	3x80	753.98	80	4x77	942.48	77	5x78	1225.22	78
2x51	320.44	51	3x86	810.53	86	4x86	967.61	86	5x80	1256.64	80
2x69	433.54	69	3x90	848.16	90	4x90	1130.97	90	5x82	1288.06	82
2x76	477.52	76	3x92	867.08	92	4x95	1193.81	95	5x85	1335.18	85
2x98	615.75	98	3x93	876.5	93	4x100	1256.64	100	5x90	1413.72	90
2x110	691.15	110	3x95	895.28	95	4x110	1382.3	110	5x101	1586.51	101
2x114	716.28	114	3x99	933.05	99	4x118	1482.83	118	5x105	1649.34	105
2x127	797.96	127	3x120	1130.97	120	4x120	1507.96	120	5x110	1727.88	110
2x55	431.97	55	3x125	1178.1	125	4x126	1583.36	126	5x113	1775	113
3x50	471.24	50	3x130	1225.22	130	4x135	1696.46	135	5x117	1837.84	117
3x56	527.79	56	3x140	1319.47	140	4x140	1759.29	140			



- 1.We can cut timing belt according to customer requirements in case that the size of width can not be found in the content.
- 2.We can make the timing belt according to customer requirements in case that the size can not be found in the content.

HTD Arc Timing Belts


model=2M
pitch=2mm



Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number
2M-52	52	26	2M-194	194	97	2M-340	340	170	2M-600	600	300
2M-66	66	33	2M-196	196	98	2M-342	342	171	2M-640	640	320
2M-76	76	38	2M-204	204	102	2M-344	344	172	2M-660	660	330
2M-78	78	39	2M-208	208	104	2M-346	346	173	2M-690	690	345
2M-80	80	40	2M-210	210	105	2M-348	348	174	2M-730	730	365
2M-82	82	41	2M-212	212	106	2M-350	350	175	2M-750	750	375
2M-86	86	43	2M-214	214	107	2M-352	352	176	2M-800	800	400
2M-90	90	45	2M-216	216	108	2M-354	354	177	2M-810	810	405
2M-96	96	48	2M-218	218	109	2M-356	356	178	2M-850	850	425
2M-98	98	49	2M-220	220	110	2M-360	360	180	2M-926	926	463
2M-100	100	50	2M-224	224	112	2M-364	364	182	2M-930	930	465
2M-102	102	51	2M-230	230	115	2M-366	366	183	2M-984	984	492
2M-110	110	55	2M-232	232	116	2M-370	370	185	2M-1066	1066	533
2M-112	112	56	2M-234	234	117	2M-372	372	186	2M-1068	1068	534
2M-120	120	60	2M-236	236	118	2M-380	380	190	2M-1100	1100	550
2M-122	122	61	2M-240	240	120	2M-384	384	192	2M-1224	1224	612
2M-126	126	63	2M-242	242	121	2M-386	386	193	2M-1500	1500	750
2M-128	128	64	2M-244	244	122	2M-388	388	194	2M-1800	1800	900
2M-130	130	65	2M-250	250	125	2M-392	392	196	2M-2000	2000	1000
2M-132	132	66	2M-252	252	126	2M-394	394	197	2M-2200	2200	1100
2M-134	134	67	2M-254	254	127	2M-400	400	200	2M-2500	2500	1250
2M-136	136	68	2M-256	256	128	2M-404	404	202	2M-2800	2800	1400
2M-138	138	69	2M-260	260	130	2M-410	410	205	2M-3000	3000	1500
2M-140	140	70	2M-262	262	131	2M-412	412	206	2M-3400	3400	1700
2M-144	144	72	2M-266	266	133	2M-420	420	210	2M-3800	3800	1900
2M-146	146	73	2M-268	268	134	2M-428	428	214	2M-4000	4000	2000
2M-148	148	74	2M-270	270	135	2M-436	436	218	2M-4500	4500	2250
2M-150	150	75	2M-274	274	137	2M-440	440	220	2M-4700	4700	2350
2M-152	152	76	2M-276	276	138	2M-448	448	224	2M-4900	4900	2450
2M-154	154	77	2M-280	280	140	2M-460	460	230	2M-5000	5000	2500
2M-156	156	78	2M-282	282	141	2M-468	468	234	2M-5100	5100	2550
2M-158	158	79	2M-280	280	140	2M-470	470	235	2M-5200	5200	2600
2M-160	160	80	2M-286	286	143	2M-476	476	238	2M-5400	5400	2700
2M-162	162	81	2M-288	288	144	2M-478	478	239	2M-5600	5600	2800
2M-164	164	82	2M-292	292	146	2M-486	486	243			
2M-168	168	84	2M-300	300	150	2M-488	488	244			
2M-172	172	86	2M-302	302	151	2M-492	492	246			
2M-174	174	87	2M-310	310	155	2M-494	494	247			
2M-176	176	88	2M-312	312	156	2M-500	500	250			
2M-178	178	89	2M-320	320	160	2M-506	506	253			
2M-180	180	90	2M-322	322	161	2M-516	516	258			
2M-182	182	91	2M-324	324	162	2M-530	530	265			
2M-184	184	92	2M-328	328	164	2M-534	534	267			
2M-186	186	93	2M-336	336	168	2M-560	560	280			
2M-190	190	95	2M-338	338	169	2M-582	582	291			

Non Standard Lengths on Request

model=3M
pitch=3mm




171×3M×6
Belt width = 6mm
Tooth pitch 3M=3mm
Pitch length = 171mm

Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number
3M-60	60	20	3M-222	222	74	3M-360	360	120	3M-507	507	169
3M-72	72	24	3M-225	225	75	3M-363	363	121	3M-510	510	170
3M-81	81	27	3M-228	228	76	3M-366	366	122	3M-513	513	171
3M-87	87	29	3M-231	231	77	3M-369	369	123	3M-519	519	173
3M-90	90	30	3M-234	234	78	3M-372	372	124	3M-522	522	174
3M-99	99	33	3M-237	237	79	3M-375	375	125	3M-525	525	175
3M-102	102	34	3M-240	240	80	3M-378	378	126	3M-531	531	177
3M-105	105	35	3M-243	243	81	3M-381	381	127	3M-534	534	178
3M-111	111	37	3M-246	246	82	3M-384	384	128	3M-537	537	179
3M-114	114	38	3M-249	249	83	3M-387	387	129	3M-540	540	180
3M-117	117	39	3M-252	252	84	3M-390	390	130	3M-543	543	181
3M-120	120	40	3M-255	255	85	3M-393	393	131	3M-546	546	182
3M-123	123	41	3M-258	258	86	3M-396	396	132	3M-549	549	183
3M-126	126	42	3M-261	261	87	3M-399	399	133	3M-552	552	184
3M-129	129	43	3M-264	264	88	3M-402	402	134	3M-555	555	185
3M-132	132	44	3M-267	267	89	3M-405	405	135	3M-558	558	186
3M-135	135	45	3M-270	270	90	3M-411	411	137	3M-561	561	187
3M-138	138	46	3M-273	273	91	3M-417	417	139	3M-564	564	188
3M-141	141	47	3M-276	276	92	3M-420	420	140	3M-567	567	189
3M-144	144	48	3M-279	279	93	3M-423	423	141	3M-570	570	190
3M-147	147	49	3M-282	282	94	3M-426	426	142	3M-573	573	191
3M-150	150	50	3M-285	285	95	3M-432	432	144	3M-576	576	192
3M-153	153	51	3M-288	288	96	3M-435	435	145	3M-579	579	193
3M-156	156	52	3M-291	291	97	3M-438	438	146	3M-582	582	194
3M-159	159	53	3M-294	294	98	3M-441	441	147	3M-585	585	195
3M-162	162	54	3M-297	297	99	3M-444	444	148	3M-588	588	196
3M-165	165	55	3M-300	300	100	3M-447	447	149	3M-591	591	197
3M-168	168	56	3M-306	306	102	3M-450	450	150	3M-594	594	198
3M-171	171	57	3M-309	309	103	3M-453	453	151	3M-597	597	199
3M-174	174	58	3M-312	312	104	3M-456	456	152	3M-600	600	200
3M-177	177	59	3M-315	315	105	3M-459	459	153	3M-603	603	201
3M-180	180	60	3M-318	318	106	3M-462	462	154	3M-606	606	202
3M-183	183	61	3M-321	321	107	3M-465	465	155	3M-609	609	203
3M-186	186	62	3M-324	324	108	3M-468	468	156	3M-612	612	204
3M-189	189	63	3M-327	327	109	3M-471	471	157	3M-630	630	210
3M-192	192	64	3M-330	330	110	3M-474	474	158	3M-633	633	211
3M-195	195	65	3M-333	333	111	3M-477	477	159	3M-639	639	213
3M-198	198	66	3M-336	336	112	3M-480	480	160	3M-645	645	215
3M-201	201	67	3M-339	339	113	3M-483	483	161	3M-648	648	216
3M-204	204	68	3M-342	342	114	3M-486	486	162	3M-654	654	218
3M-207	207	69	3M-345	345	115	3M-489	489	163	3M-657	657	219
3M-210	210	70	3M-348	348	116	3M-492	492	164	3M-660	660	220
3M-213	213	71	3M-351	351	117	3M-495	495	165	3M-669	669	223
3M-216	216	72	3M-354	354	118	3M-501	501	167	3M-672	672	224
3M-219	219	73	3M-357	357	119	3M-504	504	168	3M-675	675	225

Non Standard Lengths on Request

model=3M
pitch=3mm



171×3M×6
Belt width = 6mm
Tooth pitch 3M=3mm
Pitch length = 171mm


Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number
3M-684	684	228	3M-1260	1260	420	3M-4875	4875	1625	5M-180	180	36
3M-687	687	229	3M-1263	1263	421	3M-4890	4890	1630	5M-190	190	38
3M-699	699	233	3M-1275	1275	425	3M-4950	4950	1650	5M-200	200	40
3M-708	708	236	3M-1278	1278	426	3M-5100	5100	1700	5M-210	210	42
3M-711	711	237	3M-1290	1290	430	3M-5250	5250	1750	5M-215	215	43
3M-720	720	240	3M-1305	1305	435	3M-5400	5400	1800	5M-225	225	45
3M-732	732	244	3M-1320	1320	440	3M-5598	5598	1866	5M-230	230	46
3M-735	735	245	3M-1335	1335	445	3M-6000	6000	2000	5M-235	235	47
3M-738	738	246	3M-1344	1344	448	3M-6801	6801	2267	5M-240	240	48
3M-750	750	250	3M-1350	1350	450	3M-6804	6804	2268	5M-245	245	49
3M-753	753	251	3M-1401	1401	467				5M-250	250	50
3M-762	762	254	3M-1449	1449	483				5M-255	255	51
3M-765	765	255	3M-1500	1500	500				5M-260	260	52
3M-783	783	261	3M-1521	1521	507	Standard width for 3M			5M-265	265	53
3M-801	801	267	3M-1530	1530	510	6, 9, 15mm			5M-270	270	54
3M-804	804	268	3M-1569	1569	523				5M-275	275	55
3M-810	810	270	3M-1587	1587	529				5M-280	280	56
3M-813	813	271	3M-1650	1650	550				5M-285	285	57
3M-822	822	274	3M-1701	1701	567				5M-290	290	58
3M-843	843	281	3M-1752	1752	584				5M-295	295	59
3M-858	858	286	3M-1800	1800	600				5M-300	300	60
3M-885	885	295	3M-1812	1812	604				5M-305	305	61
3M-900	900	300	3M-1863	1863	621				5M-310	310	62
3M-909	909	303	3M-1884	1884	628				5M-315	315	63
3M-915	915	305	3M-1902	1902	634				5M-320	320	64
3M-921	921	307	3M-1950	1950	650				5M-325	325	65
3M-936	936	312	3M-1953	1953	651				5M-330	330	66
3M-939	939	313	3M-2100	2100	700				5M-335	335	67
3M-945	945	315	3M-2160	2160	720				5M-340	340	68
3M-954	954	318	3M-2277	2277	759				5M-345	345	69
3M-966	966	322	3M-2295	2295	765				5M-350	350	70
3M-969	969	323	3M-2298	2298	766				5M-360	360	72
3M-975	975	325	3M-2388	2388	796				5M-365	365	73
3M-1014	1014	338	3M-2400	2400	800				5M-370	370	74
3M-1026	1026	342	3M-2640	2640	880				5M-375	375	75
3M-1050	1050	350	3M-2700	2700	900				5M-380	380	76
3M-1071	1071	357	3M-3000	3000	1000				5M-385	385	77
3M-1074	1074	358	3M-3210	3210	1070				5M-390	390	78
3M-1119	1119	373	3M-3300	3300	1100				5M-395	395	79
3M-1125	1125	375	3M-3390	3390	1130				5M-400	400	80
3M-1176	1176	392	3M-3600	3600	1200				5M-405	405	81
3M-1188	1188	396	3M-3900	3900	1300				5M-410	410	82
3M-1209	1209	403	3M-4200	4200	1400				5M-420	420	84
3M-1215	1215	405	3M-4500	4500	1500				5M-425	425	85
3M-1245	1245	415	3M-4800	4800	1600				5M-430	430	86



Timing belts used in packaging machinery

Non Standard Lengths on Request

model=H5M
pitch=5mm




500×5M×20
Belt width = 20mm
Tooth pitch 5M=5mm
Pitch length = 500mm

Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number
5M-435	435	87	5M-660	660	132	5M-960	960	192	5M-1450	1450	290
5M-440	440	88	5M-665	665	133	5M-965	965	193	5M-1455	1455	291
5M-445	445	89	5M-670	670	134	5M-975	975	195	5M-1490	1490	298
5M-450	450	90	5M-675	675	135	5M-980	980	196	5M-1500	1500	300
5M-455	455	91	5M-680	680	136	5M-985	985	197	5M-1520	1520	304
5M-460	460	92	5M-685	685	137	5M-990	990	198	5M-1525	1525	305
5M-465	465	93	5M-690	690	138	5M-1000	1000	200	5M-1530	1530	306
5M-470	470	94	5M-695	695	139	5M-1020	1020	204	5M-1540	1540	308
5M-475	475	95	5M-700	700	140	5M-1025	1025	205	5M-1550	1550	310
5M-480	480	96	5M-710	710	142	5M-1035	1035	207	5M-1575	1575	315
5M-485	485	97	5M-715	715	143	5M-1050	1050	210	5M-1585	1585	317
5M-490	490	98	5M-720	720	144	5M-1080	1080	216	5M-1595	1595	319
5M-495	495	99	5M-725	725	145	5M-1100	1100	220	5M-1600	1600	320
5M-500	500	100	5M-730	730	146	5M-1110	1110	222	5M-1630	1630	326
5M-505	505	101	5M-740	740	148	5M-1115	1115	223	5M-1635	1635	327
5M-510	510	102	5M-745	745	149	5M-1120	1120	224	5M-1670	1670	334
5M-515	515	103	5M-750	750	150	5M-1125	1125	225	5M-1685	1685	337
5M-520	520	104	5M-755	755	151	5M-1135	1135	227	5M-1690	1690	338
5M-525	525	105	5M-765	765	153	5M-1140	1140	228	5M-1700	1700	340
5M-530	530	106	5M-770	770	154	5M-1145	1145	229	5M-1720	1720	344
5M-535	535	107	5M-775	775	155	5M-1150	1150	230	5M-1730	1730	346
5M-540	540	108	5M-780	780	156	5M-1160	1160	232	5M-1760	1760	352
5M-545	545	109	5M-790	790	158	5M-1175	1175	235	5M-1770	1770	354
5M-550	550	110	5M-800	800	160	5M-1180	1180	236	5M-1790	1790	358
5M-555	555	111	5M-810	810	162	5M-1185	1185	237	5M-1800	1800	360
5M-560	560	112	5M-815	815	163	5M-1195	1195	239	5M-1845	1845	369
5M-565	565	113	5M-820	820	164	5M-1200	1200	240	5M-1850	1850	370
5M-570	570	114	5M-825	825	165	5M-1210	1210	242	5M-1870	1870	374
5M-575	575	115	5M-830	830	166	5M-1225	1225	245	5M-1880	1880	376
5M-580	580	116	5M-835	835	167	5M-1235	1235	247	5M-1895	1895	379
5M-585	585	117	5M-840	840	168	5M-1240	1240	248	5M-1915	1915	383
5M-590	590	118	5M-845	845	169	5M-1250	1250	250	5M-1940	1940	388
5M-595	595	119	5M-850	850	170	5M-1265	1265	253	5M-1945	1945	389
5M-600	600	120	5M-860	860	172	5M-1270	1270	254	5M-1960	1960	392
5M-605	605	121	5M-870	870	174	5M-1290	1290	258	5M-2000	2000	400
5M-610	610	122	5M-880	880	176	5M-1295	1295	259	5M-2050	2050	410
5M-615	615	123	5M-890	890	178	5M-1300	1300	260	5M-2060	2060	412
5M-620	620	124	5M-900	900	180	5M-1340	1340	268	5M-2100	2100	420
5M-625	625	125	5M-910	910	182	5M-1350	1350	270	5M-2160	2160	432
5M-630	630	126	5M-920	920	184	5M-1375	1375	275	5M-2165	2165	433
5M-635	635	127	5M-925	925	185	5M-1380	1380	276	5M-2180	2180	436
5M-640	640	128	5M-930	930	186	5M-1390	1390	278	5M-2200	2200	440
5M-645	645	129	5M-935	935	187	5M-1400	1400	280	5M-2250	2250	450
5M-650	650	130	5M-940	940	188	5M-1410	1410	282	5M-2350	2350	470
5M-655	655	131	5M-950	950	190	5M-1420	1420	284	5M-2370	2370	474

Non Standard Lengths on Request

model=8M
pitch=8mm




960×8M×50
Belt width = 50mm
Tooth pitch 8M = 8mm
Pitch length = 960mm

Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number
5M-2380	2380	476	8M-184	184	23	8M-720	720	90	8M-1112	1112	139
5M-2400	2400	480	8M-288	288	36	8M-728	728	91	8M-1120	1120	140
5M-2460	2460	492	8M-320	320	40	8M-736	736	92	8M-1128	1128	141
5M-2525	2525	505	8M-328	328	41	8M-744	744	93	8M-1136	1136	142
5M-2600	2600	520	8M-336	336	42	8M-760	760	95	8M-1144	1144	143
5M-2635	2635	527	8M-344	344	43	8M-768	768	96	8M-1152	1152	144
5M-2800	2800	560	8M-352	352	44	8M-776	776	97	8M-1160	1160	145
5M-2910	2910	582	8M-360	360	45	8M-784	784	98	8M-1168	1168	146
5M-2965	2965	593	8M-368	368	46	8M-792	792	99	8M-1176	1176	147
5M-3000	3000	600	8M-376	376	47	8M-800	800	100	8M-1184	1184	148
5M-3025	3025	605	8M-384	384	48	8M-816	816	102	8M-1192	1192	149
5M-3060	3060	612	8M-392	392	49	8M-824	824	103	8M-1200	1200	150
5M-3200	3200	640	8M-400	400	50	8M-832	832	104	8M-1208	1208	151
5M-3255	3255	651	8M-408	408	51	8M-840	840	105	8M-1216	1216	152
5M-3300	3300	660	8M-416	416	52	8M-848	848	106	8M-1224	1224	153
5M-3340	3340	668	8M-424	424	53	8M-856	856	107	8M-1232	1232	154
5M-3430	3430	686	8M-440	440	55	8M-864	864	108	8M-1240	1240	155
5M-3600	3600	720	8M-448	448	56	8M-872	872	109	8M-1248	1248	156
5M-3660	3660	732	8M-456	456	57	8M-880	880	110	8M-1256	1256	157
5M-3750	3750	750	8M-472	472	59	8M-888	888	111	8M-1264	1264	158
5M-3770	3770	754	8M-480	480	60	8M-896	896	112	8M-1272	1272	159
5M-3800	3800	760	8M-496	496	62	8M-912	912	114	8M-1280	1280	160
5M-4000	4000	800	8M-512	512	64	8M-920	920	115	8M-1288	1288	161
5M-4260	4260	852	8M-520	520	65	8M-928	928	116	8M-1296	1296	162
5M-4300	4300	860	8M-528	528	66	8M-936	936	117	8M-1304	1304	163
5M-4415	4415	883	8M-536	536	67	8M-944	944	118	8M-1312	1312	164
5M-4500	4500	900	8M-544	544	68	8M-952	952	119	8M-1320	1320	165
5M-4800	4800	960	8M-560	560	70	8M-960	960	120	8M-1328	1328	166
5M-5300	5300	1060	8M-568	568	71	8M-968	968	121	8M-1344	1344	168
5M-5460	5460	1092	8M-576	576	72	8M-976	976	122	8M-1352	1352	169
5M-7000	7000	1400	8M-584	584	73	8M-984	984	123	8M-1360	1360	170
			8M-592	592	74	8M-1000	1000	125	8M-1368	1368	171
			8M-600	600	75	8M-1008	1008	126	8M-1376	1376	172
			8M-608	608	76	8M-1016	1016	127	8M-1384	1384	173
			8M-624	624	78	8M-1024	1024	128	8M-1392	1392	174
			8M-632	632	79	8M-1032	1032	129	8M-1400	1400	175
			8M-640	640	80	8M-1040	1040	130	8M-1408	1408	176
			8M-648	648	81	8M-1048	1048	131	8M-1416	1416	177
			8M-656	656	82	8M-1056	1056	132	8M-1424	1424	178
			8M-664	664	83	8M-1064	1064	133	8M-1432	1432	179
			8M-672	672	84	8M-1072	1072	134	8M-1440	1440	180
			8M-680	680	85	8M-1080	1080	135	8M-1456	1456	182
			8M-688	688	86	8M-1088	1088	136	8M-1464	1464	183
			8M-696	696	87	8M-1096	1096	137	8M-1480	1480	185
			8M-712	712	89	8M-1104	1104	138	8M-1496	1496	187

Non Standard Lengths on Request

model=14M
pitch=14mm




3500×14M×55
Belt width = 55mm
Tooth pitch 14M = 14mm
Pitch length = 3500mm

Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number	Specifi- cation	Section line length	Tooth number
8M-1512	1512	189	8M-2056	2056	257	8M-3216	3216	402	14M-812	812	58
8M-1520	1520	190	8M-2080	2080	260	8M-3280	3280	410	14M-868	868	62
8M-1536	1536	192	8M-2096	2096	262	8M-3360	3360	420	14M-924	924	66
8M-1544	1544	193	8M-2104	2104	263	8M-3384	3384	423	14M-938	938	67
8M-1552	1552	194	8M-2120	2120	265	8M-3400	3400	425	14M-966	966	69
8M-1560	1560	195	8M-2136	2136	267	8M-3440	3440	430	14M-1008	1008	72
8M-1576	1576	197	8M-2160	2160	270	8M-3448	3448	431	14M-1036	1036	74
8M-1584	1584	198	8M-2184	2184	273	8M-3600	3600	450	14M-1050	1050	75
8M-1600	1600	200	8M-2200	2200	275	8M-3624	3624	453	14M-1064	1064	76
8M-1608	1608	201	8M-2208	2208	276	8M-3704	3704	463	14M-1078	1078	77
8M-1624	1624	203	8M-2224	2224	278	8M-3720	3720	465	14M-1092	1092	78
8M-1632	1632	204	8M-2240	2240	280	8M-3728	3728	466	14M-1106	1106	79
8M-1640	1640	205	8M-2248	2248	281	8M-3776	3776	472	14M-1120	1120	80
8M-1648	1648	206	8M-2256	2256	282	8M-3824	3824	478	14M-1148	1148	82
8M-1656	1656	207	8M-2272	2272	284	8M-3840	3840	480	14M-1176	1176	84
8M-1680	1680	210	8M-2288	2288	286	8M-3864	3864	483	14M-1190	1190	85
8M-1696	1696	212	8M-2304	2304	288	8M-3944	3944	493	14M-1218	1218	87
8M-1728	1728	216	8M-2312	2312	289	8M-4000	4000	500	14M-1246	1246	89
8M-1744	1744	218	8M-2320	2320	290	8M-4200	4200	525	14M-1260	1260	90
8M-1752	1752	219	8M-2328	2328	291	8M-4352	4352	544	14M-1288	1288	92
8M-1760	1760	220	8M-2352	2352	294	8M-4400	4400	550	14M-1302	1302	93
8M-1776	1776	222	8M-2392	2392	299	8M-4480	4480	560	14M-1316	1316	94
8M-1784	1784	223	8M-2400	2400	300	8M-4504	4504	563	14M-1330	1330	95
8M-1792	1792	224	8M-2440	2440	305	8M-4656	4656	582	14M-1344	1344	96
8M-1800	1800	225	8M-2456	2456	307	8M-4720	4720	590	14M-1358	1358	97
8M-1808	1808	226	8M-2480	2480	310	8M-4880	4880	610	14M-1400	1400	100
8M-1824	1824	228	8M-2496	2496	312	8M-4960	4960	620	14M-1414	1414	101
8M-1840	1840	230	8M-2504	2504	313	8M-5120	5120	640	14M-1442	1442	103
8M-1856	1856	232	8M-2536	2536	317	8M-5416	5416	677	14M-1456	1456	104
8M-1880	1880	235	8M-2560	2560	320	8M-5576	5576	697	14M-1470	1470	105
8M-1888	1888	236	8M-2584	2584	323	8M-5600	5600	700	14M-1484	1484	106
8M-1896	1896	237	8M-2600	2600	325	8M-5768	5768	721	14M-1512	1512	108
8M-1904	1904	238	8M-2656	2656	332	8M-5960	5960	745	14M-1540	1540	110
8M-1912	1912	239	8M-2688	2688	336	8M-6600	6600	825	14M-1568	1568	112
8M-1920	1920	240	8M-2736	2736	342	8M-6680	6680	835	14M-1610	1610	115
8M-1928	1928	241	8M-2800	2800	350	8M-6880	6880	860	14M-1638	1638	117
8M-1936	1936	242	8M-2824	2824	353	8M-7032	7032	879	14M-1652	1652	118
8M-1944	1944	243	8M-2872	2872	359	8M-7680	7680	960	14M-1666	1666	119
8M-1952	1952	244	8M-2880	2880	360				14M-1680	1680	120
8M-1960	1960	245	8M-2928	2928	366				14M-1694	1694	121
8M-1992	1992	249	8M-3048	3048	381				14M-1708	1708	122
8M-2000	2000	250	8M-3080	3080	385				14M-1722	1722	123
8M-2032	2032	254	8M-3120	3120	390				14M-1736	1736	124
8M-2040	2040	255	8M-3168	3168	396				14M-1750	1750	125
8M-2048	2048	256	8M-3200	3200	400				14M-1764	1764	126

Non Standard Lengths on Request


STD Arc Timing Belts

model=14M
pitch=14mm




Specification	Section line length	Tooth number	Specification	Section line length	Tooth number	Specification	Section line length	Tooth number	Specification	Section line length	Tooth number
14M-1778	1778	127	14M-3668	3668	262	20M-1160	1160	58			
14M-1792	1792	128	14M-3850	3850	275	20M-1740	1740	87			
14M-1806	1806	129	14M-4004	4004	286	20M-2000	2000	100			
14M-1820	1820	130	14M-4200	4200	300	20M-2120	2120	106			
14M-1848	1848	132	14M-4326	4326	309	20M-2140	2140	107			
14M-1862	1862	133	14M-4536	4536	324	20M-2500	2500	125			
14M-1890	1890	135	14M-4578	4578	327	20M-2660	2660	133			
14M-1904	1904	136	14M-4760	4760	340	20M-2800	2800	140			
14M-1932	1932	138	14M-4900	4900	350	20M-2840	2840	142			
14M-1946	1946	139	14M-4956	4956	354	20M-3000	3000	150			
14M-1960	1960	140	14M-5040	5040	360	20M-3040	3040	152			
14M-1988	1988	142	14M-5320	5320	380	20M-3200	3200	160			
14M-2002	2002	143	14M-5390	5390	385	20M-3220	3220	161			
14M-2044	2044	146	14M-5600	5600	400	20M-3400	3400	170			
14M-2072	2072	148	14M-5740	5740	410	20M-3800	3800	190			
14M-2086	2086	149	14M-5908	5908	422	20M-4200	4200	210			
14M-2100	2100	150	14M-5936	5936	424	20M-4600	4600	230			
14M-2156	2156	154	14M-6020	6020	430	20M-4800	4800	240			
14M-2198	2198	157	14M-6160	6160	440	20M-5000	5000	250			
14M-2212	2212	158	14M-6860	6860	490	20M-5200	5200	260			
14M-2240	2240	160	14M-7560	7560	540	20M-5400	5400	270			
14M-2310	2310	165	14M-8120	8120	580	20M-5500	5500	275			
14M-2380	2380	170				20M-5600	5600	280			
14M-2408	2408	172				20M-5800	5800	290			
14M-2450	2450	175				20M-6000	6000	300			
14M-2548	2548	182	Standard width for 14M 40, 55, 85, 115, 170mm			20M-6200	6200	310			
14M-2590	2590	185				20M-6400	6400	320			
14M-2604	2604	186				20M-6560	6560	328			
14M-2660	2660	190				20M-6600	6600	330			
14M-2716	2716	194									
14M-2730	2730	195									
14M-2744	2744	196									
14M-2758	2758	197									
14M-2800	2800	200									
14M-2912	2912	208									
14M-2940	2940	210									
14M-3010	3010	215									
14M-3024	3024	216									
14M-3080	3080	220									
14M-3108	3108	222									
14M-3136	3136	224									
14M-3150	3150	225									
14M-3304	3304	236									
14M-3360	3360	240									
14M-3500	3500	250									

Non Standard Lengths on Request



model=S2M
pitch=2mm



Specification	Section line length	Tooth number	Specification	Section line length	Tooth number	Specification	Section line length	Tooth number	Specification	Section line length	Tooth number
S2M-60	60	30	S2M-182	182	91	S2M-304	304	152	S2M-572	572	286
S2M-76	76	38	S2M-184	184	92	S2M-306	306	153	S2M-580	580	290
S2M-80	80	40	S2M-186	186	93	S2M-308	308	154	S2M-582	582	291
S2M-84	84	42	S2M-188	188	94	S2M-310	310	155	S2M-612	612	306
S2M-88	88	44	S2M-190	190	95	S2M-312	312	156	S2M-626	626	313
S2M-90	90	45	S2M-192	192	96	S2M-316	316	158	S2M-652	652	326
S2M-92	92	46	S2M-194	194	97	S2M-320	320	160	S2M-656	656	328
S2M-96	96	48	S2M-198	198	99	S2M-324	324	162	S2M-660	660	330
S2M-98	98	49	S2M-200	200	100	S2M-328	328	164	S2M-710	710	355
S2M-102	102	51	S2M-202	202	101	S2M-334	334	167	S2M-726	726	363
S2M-108	108	54	S2M-204	204	102	S2M-336	336	168	S2M-760	760	380
S2M-110	110	55	S2M-206	206	103	S2M-338	338	169	S2M-800	800	400
S2M-112	112	56	S2M-210	210	105	S2M-340	340	170	S2M-820	820	410
S2M-114	114	57	S2M-212	212	106	S2M-344	344	172	S2M-860	860	430
S2M-116	116	58	S2M-214	214	107	S2M-350	350	175	S2M-880	880	440
S2M-118	118	59	S2M-216	216	108	S2M-352	352	176	S2M-892	892	446
S2M-120	120	60	S2M-218	218	109	S2M-354	354	177	S2M-940	940	470
S2M-124	124	62	S2M-220	220	110	S2M-360	360	180	S2M-984	984	492
S2M-126	126	63	S2M-222	222	111	S2M-364	364	182	S2M-1066	1066	533
S2M-128	128	64	S2M-224	224	112	S2M-370	370	185	S2M-1100	1100	550
S2M-130	130	65	S2M-226	226	113	S2M-376	376	188	S2M-1166	1166	583
S2M-132	132	66	S2M-230	230	115	S2M-380	380	190	S2M-1224	1224	612
S2M-134	134	67	S2M-234	234	117	S2M-386	386	193	S2M-1300	1300	650
S2M-136	136	68	S2M-236	236	118	S2M-396	396	198	S2M-1500	1500	750
S2M-138	138	69	S2M-240	240	120	S2M-400	400	200	S2M-1600	1600	800
S2M-140	140	70	S2M-244	244	122	S2M-406	406	203	S2M-1800	1800	900
S2M-142	142	71	S2M-248	248	124	S2M-410	410	205	S2M-2000	2000	1000
S2M-144	144	72	S2M-250	250	125	S2M-420	420	210	S2M-2300	2300	1150
S2M-146	146	73	S2M-252	252	126	S2M-426	426	213	S2M-2500	2500	1250
S2M-148	148	74	S2M-260	260	130	S2M-430	430	215	S2M-3000	3000	1500
S2M-150	150	75	S2M-262	262	131	S2M-436	436	218	S2M-3500	3500	1750
S2M-152	152	76	S2M-264	264	132	S2M-438	438	219	S2M-3700	3700	1850
S2M-154	154	77	S2M-266	266	133	S2M-448	448	224	S2M-4200	4200	2100
S2M-156	156	78	S2M-268	268	134	S2M-452	452	226	S2M-5600	5600	2800
S2M-158	158	79	S2M-274	274	137	S2M-456	456	228			
S2M-160	160	80	S2M-276	276	138	S2M-460	460	230			
S2M-162	162	81	S2M-278	278	139	S2M-468	468	234			
S2M-164	164	82	S2M-280	280	140	S2M-494	494	247	Standard width for S2M 6, 9, 15mm		
S2M-166	166	83	S2M-284	284	142	S2M-500	500	250			
S2M-168	168	84	S2M-288	288	144	S2M-504	504	252			
S2M-172	172	86	S2M-290	290	145	S2M-506	506	253			
S2M-174	174	87	S2M-292	292	146	S2M-518	518	259			
S2M-176	176	88	S2M-296	296	148	S2M-520	520	260			
S2M-178	178	89	S2M-300	300	150	S2M-530	530	265			
S2M-180	180	90	S2M-302	302	151	S2M-560	560	280			

Non Standard Lengths on Request